


GUYMASTER Release Notes  
For version 8.3.0 as of May 21, 2025

1. Added: The user may now specify **MAST RESTRAINTS AT SUPPORT** for the self-supporting tower models. The same table that is used for guyed towers is used here.
2. Introduced the **Loading Conditions Generator** to quickly create loading conditions for the analysis. The generated loading parameters, including load factors, can be saved as templates and easily reused in future projects.



**Loading Conditions Generator (Default)**

File

Wind

Start Azimuth:  Azimuth Increase:  # Directions:  Wind Profile: ☒ Standard ☐ Defined by User

	Wind Speed	Velocity Pressure	Ice Thickness	Load Factors				
				Bare		Iced		
				Wind	Dead	Wind	Dead	Ice
<input checked="" type="checkbox"/> Strength	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	1.4	1.25	0.7	1.25	1.45
				1.4	0.85	0.7	0.85	0.82
<input checked="" type="checkbox"/> Service	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	1	1	0.5	1	1
<input type="checkbox"/> Seismic			<input type="text" value="0"/>	0	1	0	1	0.5

☐ Suppress Max Displacement

Apply